



ZashTech Sdn. Bhd 1263902-U

B-12-1 Jalan Serai Wangi 16/G, Alam Avenue 1
Seksyen 16, 40200 Shah Alam, Selangor

Hp: 013-7919149

Office: 03-51035604


Email: enquiry@pasangcctv.com.my

<https://pasangcctv.com.my>

DAHUA HD-CVI Series CAMERA			
No.	Item	Description	Price
1	HDW1000R-S3 HDW1100R-S3 HDW1200R-S3 	HDW1000R-S3: 1/4" 1.0 Megapixel CMOS image sensor (OV9732 + Cannon) HFW1100R-S3: 1/3" 1.0 Megapixel CMOS image sensor (OV9755 + Cannon) HFW1200R-S3: 1/2.7" 2.0 Megapixel CMOS image sensor (OV2710 + Cannon) Dahua's new in-house ISP (Cannon) features better image & signal processing + OSD Superior 2DNR, DWDR, HD-CVI/AHD/TVI/CVBS Switchable 25fps High-speed long distance Real-Time transmission Microcrystalline SMD IR LED up to 20m, Smart IR Working temperature: -40°C~+60°C / Less than 95%RH (no condensation) Lens: 3.6mm M12 Fixed (2.8mm on 1000 series); DC12V, Light-Weight Plastic Housing	95.00 110.00 120.00
2	HFW1000R-S3 HFW1100R-S3 HFW1200R-S3 	HFW1000R-S3: 1/4" 1.0 Megapixel CMOS image sensor (OV9732 + Cannon) HFW1100R-S3: 1/3" 1.0 Megapixel CMOS image sensor (OV9755 + Cannon) HFW1200R-S3: 1/2.7" 2.0 Megapixel CMOS image sensor (OV2710 + Cannon) Dahua's new in-house ISP (Cannon) features better image & signal processing + OSD Superior 2DNR, DWDR, IP67, HD-CVI/AHD/TVI/CVBS Switchable 25fps High-speed long distance Real-Time transmission Microcrystalline SMD IR LED up to 20m, Smart IR Working temperature: -40°C~+60°C / Less than 95%RH (no condensation) Lens: 3.6mm M12 Fixed (2.8mm on 1000 series); DC12V, Light-Weight Plastic Housing	95.00 110.00 120.00
3	HDW1220M 	1/2.9" 2.0 Megapixel SONY CMOS image sensor (IMX323 + Cannon) HD-CVI/AHD/TVI/CVBS Switchable; Dahua's new in-house ISP (Cannon) IR LED up to 30m, Smart IR, 2DNR, DWDR Lens: 3.6mm M12 Fixed; DC12V, IP67, Metal Housing	200.00
4	HFW1220RM	1/2.9" 2.0 Megapixel SONY CMOS image sensor (IMX323 + Cannon)	200.00


		<p>HD-CVI/AHD/TVI/CVBS Switchable; Dahua's new in-house ISP (Cannon)</p> <p>IR LED up to 20m, Smart IR, 2DNR, DWDR</p> <p>Lens: 3.6mm M12 Fixed; DC12V, IP67, Metal Housing</p>	
5	<p>HDBW1220R-VF</p> 	<p>1/2.9" 2.0 Megapixel SONY CMOS image sensor (IMX323 + Cannon)</p> <p>HD-CVI/AHD/TVI/CVBS Switchable; Dahua's new in-house ISP (Cannon)</p> <p>Smart IR LED up to 30m, 2DNR, DWDR</p> <p>Lens: 2.7~12mm Manual Varifocal; DC12V, IP67, IK10, Metal Housing</p>	300.00
6	<p>HFW1220R-VF</p> 	<p>1/2.9" 2.0 Megapixel SONY CMOS image sensor (IMX323 + Cannon)</p> <p>HD-CVI/AHD/TVI/CVBS Switchable; Dahua's new in-house ISP (Cannon)</p> <p>Smart IR LED up to 30m, 2DNR, DWDR</p> <p>Lens: 2.7~13.5mm Manual Varifocal; DC12V, IP67, Aluminium Housing</p>	300.00
7	<p>HUM1220A-PIR</p> 	<p>1/2.9" 2.0 Megapixel SONY CMOS image sensor (IMX323 + Cannon)</p> <p>HD-CVI/AHD/TVI/CVBS Switchable; Dahua's new in-house ISP (Cannon)</p> <p>Min Illumination: 0.002 Lux (B/W), 2DNR, DWDR, Passive Infrared Detection 12x12m</p> <p>Lens: 2.8mm M12 Fixed; DC12V, Plastic Housing</p>	400.00
8	<p>HUM3201B</p> 	<p>1/2.8" 2.0 Megapixel CMOS image sensor</p> <p>25fps @ 1080P; HD-CVI/AHD/TVI/CVBS Switchable</p> <p>Min Illumination: 0.005 Lux (B/W), 3DNR, 120dB True WDR</p> <p>Lens: 2.8mm Pinhole; DC12V, Aluminium casing</p>	400.00
9	<p>HDBW2221F</p> 	<p>1/2.7" 2.1 Megapixel CMOS image sensor, Built-in Microphone</p> <p>25fps @ 1080P; High-speed long distance Real-Time transmission</p> <p>IR LED up to 20m, Smart IR, 3DNR, 120dB True WDR, Built-in Microphone</p> <p>Lens: 3.6mm Fixed; DC12V, IP67, IK10, HD & SD Dual Output</p>	400.00
9	<p>SD42212I-HC</p> 	<p>1/3" Progressive Scan Exmor CMOS image sensor (without IR)</p> <p>DWDR; 3DNR; Powerful 12x Optical Zoom, 16x Digital Zoom</p> <p>25fps @ 1080P resolution (1920 x 1080)</p> <p>Lens: 5.1 ~ 61.2mm (12x Optical Zoom); AC24V 1.5A, IP66, 1.8kg</p> <p>2/1 channel Alarm I/O; Audio 1/1, RS485 (Pelco-D/P), Switchable to CVBS</p>	1800.00

10	SD49225I-HC 	1/2.8" Progressive Scan Exmor R CMOS image sensor 120dB True WDR; Ultra 3DNR; 25x Optical Zoom, 16x Digital Zoom 25fps @ 1080P resolution (1920 x 1080) / 50fps @ 720P; IR up to 100m Lens: 4.8 ~ 120mm Motorised; DC12V 3A Power adaptor included (PSA007) IP66 Water-proof; Alarm 2/1; Audio 1ch IN, RS485, Switchable to CVBS	2400.00
11	HDBW1400E 	1/3" 4.1 Megapixel Progressive Scan CMOS image sensor HD and SD Switchable Output, OSD Menu, Real-Time 25fps@4MP IR LED up to 30m, Smart IR, 2DNR, DWDR Lens: 2.8mm M12 Fixed; DC12V, IP67, IK10, Aluminium Housing	200.00
12	HFW1400T 	1/3" 4.1 Megapixel Progressive Scan CMOS image sensor HD and SD Switchable Output, OSD Menu, Real-Time 25fps@4MP IR LED up to 20m, Smart IR, 2DNR, DWDR Lens: 3.6mm M12 Fixed; DC12V, IP67, Aluminium Housing	200.00
13	HFW2401R-Z-IRE6 	1/3" 4.1 Megapixel CMOS image sensor HD and SD Dual Output, OSD Menu, Real-Time 25fps@4MP Array IR LED up to 30m, Smart IR, 3DNR, True WDR 120dB Lens: 2.7~12mm Motorised; DC12V, IP67, IK10, Metal Housing	600.00
14	HDBW2401R-Z 	1/3" 4.1 Megapixel CMOS image sensor HD and SD Dual Output, OSD Menu, Real-Time 25fps@4MP Array IR LED up to 30m, Smart IR, 3DNR, True WDR 120dB Lens: 2.7~12mm Motorised; DC12V, IP67, IK10, Metal Housing	600.00
15	SD59430I-HC 	4MP 30x IR PTZ Dome HD-CVI Camera (Φ186 × 309mm) 1/3" Progressive Scan 4MP CMOS image sensor True WDR; 3DNR; Powerful 30x Optical Zoom, 16x Digital Zoom 25fps @ 4MP resolution (2592 x 1520) Lens: 4.5 ~ 135mm Motorised; AC24V 3A; IR up to 100m IP66 Water-proof; 2/1 Alarm I/O; Audio 1ch IN, RS485 (Pelco-D/P), 1ch Video	4000.00


DAHUA IP Series			
No.	Item	Description	Price
1		IPC-HDBW1120E / IPC-HDBW1320E/HDBW1531E	300.00
		IPC-HDBW1120E : 1/3" CMOS Image Sensor, 1.3MP resolution (1280 x 960)	400.00
		IPC-HDBW1320E : 1/3" CMOS Image Sensor, 3MP resolution (2048 x 1536) HDBW1531E :5MP IR Dome WDR IP Camera (φ110 × 81mm) 1/2.7" 5 Megapixel Progressive Scan CMOS sensor	600.00

		H.264+ Dual-Stream Encoding; Day&Night (ICR); BLC; 3DNR, DWDR Lens: 3.6mm Fixed; DC12V; PoE; IP67, IK10 Microcrystalline SMD IR LED up to 30m	
2	IPC-HFW1120S IPC-HFW1320S IPC-HFW1420S HFW1531S 	IPC-HFW1120S : 1/3" CMOS Image Sensor, 1.3MP resolution (1280 x 960) IPC-HFW1320S : 1/3" CMOS Image Sensor, 3MP resolution (2048 x 1536) IPC-HFW1420S : 1/3" CMOS Image Sensor, 4MP resolution (2688 x 1520) HFW1531S: 5MP IR Bullet WDR IP Camera H.264+ Dual-Stream Encoding; Day&Night (ICR); BLC; 3DNR, DWDR Lens: 3.6mm Fixed; DC12V; PoE; IP67 Microcrystalline SMD IR LED up to 30m	300.00 400.00 500.00 600.00
3	HFW2531T-ZS 	5MP IR Bullet WDR IP Camera w/ Motorised Lens (244 x 79 x 76mm) 1/2.7" 5 Megapixel Progressive Scan CMOS sensor 20fps @ 5MP resolution; H.265+ Dual Stream Encoding IR LED up to 60m, 3DNR, True WDR 120dB, Micro-SD Slot (max 128GB) Lens: 2.7 ~ 13.5mm Motorised; DC12V, IP67, PoE	1000.00
4	SD49225T-HN 	1/2.8" Progressive Scan Exmor R CMOS image sensor H.265 compression; 120dB True WDR; Ultra 3DNR, Defog; IR up to 100m 50fps @ 1080P resolution (1920 x 1080); Triple Stream support, Pan: 240°/s Lens: 4.8 ~ 120mm 25x Optical Zoom; 16x Digital Zoom PoE+ (802.3at); DC12V 3A Power adaptor included (PSA007) IP66 Water-proof; support 128GB Micro SD; Alarm 2/1; Audio 1/1	2000.00
5	SD59225U-HNI 	1/2.8" Exmor R CMOS image sensor, Auto-Tracking and IVS H.265 encoding; 120dB True WDR; Ultra DNR, Defog, ROI, EIS 50fps @ 1080P resolution (1920 x 1080); Triple Stream support; PoE+ Supported Lens: 4.8 ~ 120mm 25x Optical Zoom; 16x Digital Zoom, AC24V 3A; IR up to 150m IP66 Water-proof; support 128GB Micro SD; Alarm 2/1; Audio 1/1	3500.00
1	HDBW4231F-AS 	HDBW4231F-AS: 1/2.8" 2MP STARVIS CMOS; 60fps @ 1080P; Starlight HDBW4431F-AS: 1/3" 4MP CMOS; 30fps @ 4M H.265+ Triple-Stream; Micro-SD slot (Max 128GB), 16x Digital Zoom Lens: 2.8mm Fixed; True WDR (120dB), 3DNR; IR LED up to 20m, Built-in Microphone IP67, IK10, PoE. Smart Detection (Tripwire, Intrusion, Abandoned Object, Face Detect) 2 Year Warranty	800
2	SD29204T-GN	1/2.7" Progressive Scan CMOS image sensor with Built-in Microphone	1000.00

		H.264+ / MJPEG compression; 120dB True WDR; Ultra 3DNR, Defog 25fps @ 1080P resolution (1920 x 1080); Triple-Stream support Lens: 2.7mm~11mm (4x Optical zoom), 16x Digital Zoom Smart detection IVS, PoE Supported, DC12V (13W), support 128GB Micro SD	
3	C22 	1/2.7" 2 Megapixel Progressive Scan CMOS image sensor H.264 Dual-Stream Encoding; Day&Night; Easy4ip App (iOS / Android) 15fps @ 2MP resolution (1920 x 1080), Two-way Audio Lens: 2.8mm Fixed; DC5V1A; IR LED up to 10m; Motion Detection Built-in Mic & Speaker, Micro-SD slot max 64GB, Wi-Fi (802.11b/g/n)	300.00
4	G26 	1/2.7" 2 Megapixel Progressive Scan CMOS image sensor H.265 Dual-Stream Encoding; Day&Night 25fps @ 2MP resolution (1920 x 1080), Built-in Microphone Lens: 3.6mm Fixed; DC12V; IR LED up to 30m, Micro SD up to 128GB IP67; Wi-Fi (IEEE802.11b/g/n) - Range 100m (open field); 2x2 MIMO Antennas	500.00
5	A22 	1/2.7" 2 Megapixel Progressive Scan CMOS image sensor H.264 Dual-Stream Encoding; Day&Night; Easy4ip App (iOS / Android) 15fps @ 2MP resolution (1920 x 1080), Two-way Audio; 355°Pan & 90°Tilt Lens: 3.6mm Fixed; DC5V2A; IR LED up to 10m; Motion Detection Built-in Mic & Speaker, Micro-SD slot max 64GB, Wi-Fi (802.11b/g/n)	500.00

DAHUA DVR			
No.	Item	Description	Price
1	XVR4104HS XVR4108HS XVR4116HS 	720P Pentabrid H.264 DVR with Network, HDMI & VGA XVR4104HS: 4 channel (25fps 720P) + 1 IPC up to 2MP (Max 20Mbps) XVR4108HS: 8 channel (15fps 720P) + 2 IPC up to 5MP (Max 40Mbps) XVR4116HS: 16 channel (15fps 720P) + 2 IPC up to 5MP (Max 72Mbps) Features: Backup to USB Flash Drive / LAN / WAN, Supports Wi-Fi Module	300.00 400.00 600.00

		<p>Audio 1/1; RS485; 2 x USB; *Does not support Audio over Coax</p> <p>Max 1 x HDD up to 6TB; Supports iPad, iPhone, Android, PSS 64ch, IE, P2P</p> <p>12V 2A; 1.5kg; Dimensions: 260W x 236D x 48H mm</p>	
2	<p>HCVR4232AN-S3</p> 	<p>32 channel 720P Tribrid DVR</p> <p>32 channel H.264 Tribrid 1U DVR, support Analog camera input</p> <p>Full channel 1080N / 720P @ 15fps recording + 16ch IPC up to 5MP</p> <p>H.264 Dual-Stream video compression; HDMI, VGA and BNC display output</p> <p>Supports 2 x HDD up to 12TB, 2 x USB, Audio 1/1, RS485</p>	1600.00
3	<p>XVR5104HS XVR5108HS XVR5116HS</p> 	<p>1080P Tribrid H.264+ DVR with Network, HDMI & VGA</p> <p>XVR5104HS: 4 channel (15fps 1080P) + 2 IPC up to 5MP (Max 24Mbps)</p> <p>XVR5108HS: 8 channel (15fps 1080P) + 4 IPC up to 5MP (Max 48Mbps)</p> <p>XVR5116HS: 16 channel (15fps 1080P) + 8 IPC up to 5MP (Max 96Mbps)</p> <p>Features:</p> <p>Backup to USB Flash Drive / LAN / WAN, Supports Wi-Fi Module</p> <p>Audio 1/1; RS485; 2 x USB ports; *Does not support Audio over Coax</p> <p>Max 1 x HDD up to 6TB; Supports iPad, iPhone, Android, PSS 64ch, IE, P2P</p> <p>12V 2A; 1.5kg; Dimensions: 260W x 236D x 48H mm</p>	<p>400.00</p> <p>600.00</p> <p>900.00</p>
4	<p>XVR5216AN</p> 	<p>16 channel 2HDD</p> <p>H.264+ Pentabrid 1080P 1U DVR, 1 x GE port</p> <p>Full channel 1080P@15fps recording + 8ch IPC up to 5MP (Max 96Mbps)</p> <p>H.264+ Dual-Stream video compression; HDMI + VGA display output (Video Matrix)</p> <p>Supports 2 x HDD up to 12TB, Audio 1/1, RS485, 12V 5A, 3.2kg</p>	1100.00
5	<p>XVR5832S</p> 	<p>32 channel 8HDD 1080P Pentabrid HD-CVI DVR</p> <p>32 channel H.264+ Pentabrid 1080P 2U DVR, 2 x GE port</p> <p>Full channel 720P@25fps / 1080P@15fps recording, support 16ch IPC up to 5MP (Max 64Mbps)</p> <p>H.264+ Dual-Stream video compression; 2 HDMI + TV + VGA display output</p> <p>Supports 8 x HDD up to 64TB, e-SATA, Audio 16/1, RS485, RS232, Alarm 16/6</p>	4000.00
6	<p>XVR5104HS-4M XVR5108HS-4KL XVR5208AN-4KL XVR5216AN-4KL</p>	<p>XVR5104HS-4M: 4 channel (15fps 4MP) + 2 IPC up to 5MP (Max 24Mbps)</p> <p>XVR5108HS-4KL: 8 channel (15fps 4MP/7fps 4K) + 4 IPC up to 8MP (Max 48Mbps)</p> <p>XVR5208AN-4KL: 8 channel (15fps 4MP/7fps 4K) + 4 IPC up to 8MP (Max 48Mbps)</p>	<p>600.00</p> <p>800.00</p> <p>1200.00</p> <p>1600.00</p>

		<p>XVR5216AN-4KL: 16 channel (15fps 4MP/7fps 4K) + 8 IPC up to 8MP (Max 96Mbps)</p> <p>Features: Backup to USB Flash Drive / LAN / WAN Audio 1/1; RS485; 2 x USB ports, 12VDC Max 1 x HDD up to 8TB each (2 x HDD for 5208 & 5216)</p>	
--	-----------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

DAHUA Network Video Recorder			
No.	Item	Description	Price
1	DAHUA NVR2104-P-S2 	<p>4 channel Smart 1U H.264 Network Video Recorder with 4-port POE</p> <p>Up to 6MP resolution; 80Mbps Input, 80Mbps Recording Preview 4ch @ 1080P, Playback 4ch @ 1080P</p> <p>4 x PoE+ ports for Simple Plug & Play Installation, HDMI + VGA output</p> <p>Supports 1 x HDD up to 6TB; 2 x USB2.0, 0.5kg 1 Year Warranty</p>	600
2	DAHUA NVR4108-8P-4KS2 	<p>8 channel Smart 1U H.265 Lite Network Video Recorder with 8-port POE</p> <p>Up to 8MP resolution; 80Mbps Input, 80Mbps Recording Preview 8ch @ 1080P, Playback 8ch @ 1080P</p> <p>8 x PoE ports (Max 80W) for Simple Plug & Play Installation</p> <p>Supports 1 x HDD up to 6TB; 2 x USB2.0, 1.8kg, HDMI + VGA output 1 Year Warranty</p>	1000.00
3	NVR4216-16P-4KS2 	<p>16 channel 1U H.265 Lite Network Video Recorder with 16-port POE</p> <p>Up to 8MP resolution; 200Mbps Input, 200Mbps Recording Preview 8ch @ 1080P, Playback 8ch @ 1080P; Audio I/O 1/1</p> <p>16 x PoE ports (max 130W) for Simple Plug & Play Installation, Alarm I/O 4/2</p> <p>Supports 2 x HDD up to 12TB; 1 x USB ports, 4.4kg, HDMI + VGA output</p>	2000.00
4	NVR5864-4KS2 	<p>64 channel 2U 4K H.265 Network Video Recorder</p> <p>Up to 12MP resolution; Max 320Mbps Incoming & Recording bandwidth</p> <p>VGA + 2HDMI, RS232, 16 Alarm IN, RAID 0/1/5/6/10, Audio I/O 1/1</p> <p>Supports 8 x HDD up to 48TB; 1 x e-SATA; 4 x USB, 2 x GE, 7kg</p>	4000.00

Seagate Skyhawk Surveillance Hard Drives			
1	ST1000VX001	1TB SATA, 64MB, SATA III (6Gb/s) special for Surveillance recording, 0.5kg 3 Years Warranty	250.00
2	ST2000VX003	2TB SATA, 64MB, SATA III (6Gb/s) special for Surveillance recording, 0.6kg 3 Years Warranty	350.00
3	ST3000VX006	3TB SATA, 64MB, SATA III (6Gb/s) special for Surveillance recording, 0.7kg 3 Years Warranty	450.00
4	ST4000VX000	4TB SATA, 64MB, SATA III (6Gb/s) special for Surveillance recording, 0.8kg 3 Years Warranty	580.00
5	ST6000VX0003	6TB SATA, 128MB, SATA III (6Gb/s) special for Surveillance recording, 0.9kg 3 Years Warranty	1030.00
6	ST8000VX0022	8TB SATA, 256MB, SATA III (6Gb/s) special for Surveillance recording, 1.0kg 3 Years Warranty	1500.00
Western Digital Purple Surveillance Hard Drives			
1	WD10PURZ	1TB SATA, 64MB, SATA III (6Gb/s) special for Surveillance recording, 0.45kg	270.00
2	WD20PURZ	2TB SATA, 64MB, SATA III (6Gb/s) special for Surveillance recording, 0.64kg	370.00
3	WD30PURZ	3TB SATA, 64MB, SATA III (6Gb/s) special for Surveillance recording, 0.64kg	479.00
4	WD40PURZ	4TB SATA, 64MB, SATA III (6Gb/s) special for Surveillance recording, 0.68kg	700.00
5	WD60PURZ	6TB SATA, 64MB, SATA III (6Gb/s) special for Surveillance recording, 0.75kg	1200.00
6	WD80PURZ	8TB SATA, 128MB, SATA III (6Gb/s) special for Surveillance recording, 0.65kg	1700.00